L Number	Hits	Search Text	DB	Time stamp
-	31	((denormaliz\$6 (de ADJ1 normaliz\$6)) NEAR6 database\$1) AND (compress\$4)	USPAT; EPO; JPO;	2003/07/15 12:33
-	30	(((denormaliz\$6 (de ADJ1 normaliz\$6)) NEAR6 database\$1) AND (compress\$4)) AND (report\$1 business)	DERWENT; IBM_TDB USPAT; EPO; JPO;	2003/04/29 12:09
-	28	((((denormaliz\$6 (de ADJ1 normaliz\$6)) NEAR6 database\$1)	DERWENT; IBM_TDB USPAT;	2003/04/29 12:09
	·	AND (compress\$4)) AND (report\$1 business)) AND (merg\$6)	EPO; JPO; DERWENT; IBM_TDB	
-	42	(denormaliz\$6 (de ADJ1 normaliz\$6)) NEAR6 database\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 16:03
-	2	((denormaliz\$6 (de ADJ1 normaliz\$6)) NEAR6 database\$1) AND (invert\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 12:44
-	4	((denormaliz\$6 (de ADJ1 normaliz\$6)) NEAR6 database\$1) AND (separate NEAR4 file\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 12:44
-	227	(denormaliz\$6 (de ADJ1 normaliz\$6)) NEAR6 (data table\$1 field\$1 database\$1)	USPAT; EPO; JPO; DERWENT;	2003/04/29 13:27
<del>-</del>	48	((denormaliz\$6 (de ADJ1 normaliz\$6)) NEAR6 (data table\$1 field\$1 database\$1)) AND (invert\$4)	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 13:30
-	. 3	((denormaliz\$6 (de ADJ1 normaliz\$6)) NEAR6 (data table\$1 field\$1 database\$1)) AND (separat\$3 NEAR6 file\$1 NEAR6 (field\$1 column\$1 data))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 13:34
-	4	((denormaliz\$6 (de ADJ1 normaliz\$6)) NEAR6 (data table\$1 field\$1 database\$1)) AND (separat\$3 NEAR6 file\$1 NEAR6 (field\$1 column\$1 data database\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 13:59
-	18 2	5852819.URPN. 5852819.URPN. AND (separat\$3 NEAR6 file\$1 NEAR6 (field\$1 column\$1 data database\$1))	USPAT USPAT; EPO; JPO; DERWENT;	2003/04/29 13:55 2003/04/29 14:01
-	2906	(separat\$3 NEAR6 file\$1 NEAR6 (field\$1 column\$1 data database\$1))	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/04/29 14:01
-	1089	(stor\$3 NEAR20 (separat\$3 NEAR6 file\$1 NEAR6 (field\$1 column\$1 data database\$1)) )	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 15:19
-	3	(denormaliz\$6 (de ADJ1 normaliz\$6)) AND ((stor\$3 NEAR20 (separat\$3 NEAR6 file\$1 NEAR6 (field\$1 column\$1 data database\$1)) ))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 14:02
-	295	((stor\$3 NEAR20 (separat\$3 NEAR6 file\$1 NEAR6 (field\$1 column\$1 data database\$1)) )) AND report\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 15:18

				·
-	32	(((stor\$3 NEAR20 (separat\$3 NEAR6 file\$1 NEAR6 (field\$1	USPAT;	2003/04/29 15:08
		column\$1 data database\$1)) )) AND report\$1) AND	EPO; JPO;	
		distribut\$4 AND merg\$4	DERWENT;	
			IBM_TDB	
-	2	5852819.pn. AND field\$1	USPAT;	2003/04/29 15:08
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	86	(((stor\$3 NEAR20 (separat\$3 NEAR6 file\$1 NEAR6 (field\$1	USPAT;	2003/04/29 15:18
		column\$1 data database\$1)) )) AND report\$1) AND	EPO; JPO;	717
		707/\$.ccls.	DERWENT;	
		(	IBM_TDB	
-	38	(stor\$3 NEAR20 (separat\$3 NEAR6 file\$1 NEAR6 (field\$1	USPAT;	2003/04/29 16:04
		column\$1)))	EPO; JPO;	
			DERWENT;	
	_	//-t00 NEADOO /	IBM_TDB	0000/04/00 45 00
-	7	((stor\$3 NEAR20 (separat\$3 NEAR6 file\$1 NEAR6 (field\$1	USPAT;	2003/04/29 15:20
		column\$1)))) AND 707/\$.ccls.	EPO; JPO;	
			DERWENT;	
*	22227	(transmit\$4 NEAD4 (field selvem))	IBM_TDB	2002/04/00 40:00
-	23237	(transmit\$4 NEAR4 (field column))	USPAT:	2003/04/29 16:03
		·	EPO; JPO;	
			DERWENT;	
	2	//transmit\$4 NEAD4 (field column)\\ AND (denormaliz\$6 (de	IBM_TDB	2002/04/20 46:04
-		((transmit\$4 NEAR4 (field column))) AND (denormaliz\$6 (de ADJ1 normaliz\$6))	USPAT; EPO; JPO;	2003/04/29 16:04
]		AD3		
			DERWENT; IBM_TDB	
_	38	(stor\$3 NEAR20 ((separat\$3 each) NEAR6 file\$1 NEAR6	USPAT;	2003/04/29 16:05
_	30	(field\$1 column\$1)))	EPO; JPO;	2003/04/29 10:03
			DERWENT;	
			IBM_TDB	
_	l 0	(stor\$3 NEAR20 ((each) NEAR6 file\$1 NEAR6 (field\$1	USPAT;	2003/04/29 16:05
		column\$1)))	EPO; JPO;	2003/04/23 10:00
,			DERWENT;	
			IBM_TDB	
-	1958	(stor\$3 NEAR20 (file\$1 NEAR6 (field\$1 column\$1)))	USPAT;	2003/04/29 16:05
		(,,,,,,,	EPO; JPO;	2000/0 11/20 /0.00
1		•	DERWENT;	
			IBM TDB	, ,
-	431	((stor\$3 NEAR20 (file\$1 NEAR6 (field\$1 column\$1)))) AND	USPAT;	2003/04/29 16:06
		707/\$.ccls.	EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
-	40	(((stor\$3 NEAR20 (file\$1 NEAR6 (field\$1 column\$1)))) AND	USPAT;	2003/04/29 16:10
		707/\$.ccls.) AND (parallel NEAR4 process\$3)	EPO; JPO;	
	}		DERWENT;	
			IBM_TDB	
-	73	(parallel NEAR4 process\$3) AND 707/\$.ccls. AND ((column	USPAT;	2003/04/29 16:39
		field) NEAR4 file)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	,
-	2216	invert\$3 NEAR4 table\$1	USPAT;	2003/07/09 10:45
		•	EPO; JPO;	,
			DERWENT;	
			IBM_TDB	
-	2	(invert\$3 NEAR4 table\$1) AND (denormaliz\$7	USPAT;	2003/07/09 10:05
		de-normaliz\$7)	EPO; JPO;	
			DERWENT;	
		(' 100 NEADA( 11 04) NEADA( 1 1 04)	IBM_TDB	
<del>-</del>	37	(invert\$3 NEAR4 table\$1) NEAR6 (column\$1 field\$1)	USPAT;	2003/07/09 09:54
			EPO; JPO;	· [
<b>l</b>			DERWENT;	
	<u> </u>		IBM_TDB	

	_			
-	80	(invert\$3 NEAR4 table\$1) AND (separat\$3 NEAR3	USPAT;	2003/07/09 10:05
		(column\$1 field\$1))	EPO; JPO;	
		,	DERWENT;	,
			IBM_TDB	·
	350	(stor\$3 NEAR2 (column\$1 field\$1) NEAR2 separat\$4)	USPAT;	2003/07/09 10:07
-	350	(Storgs NEARZ (Columna i nelua i) NEARZ Separata4)		2003/01/09 10.01
	· .	'	EPO; JPO;	•
	1		DERWENT;	
		ı	IBM_TDB	
-	8	((stor\$3 NEAR2 (column\$1 field\$1) NEAR2 separat\$4)) AND	USPAT;	2003/07/09 10:05
		(denormaliz\$7 de-normaliz\$7)	EPO; JPO;	
		(	DERWENT;	
			IBM_TDB	
	45	707/\$.ccls. AND (stor\$3 NEAR2 (column\$1 field\$1) NEAR2	USPAT;	2003/07/09 10:23
-	45			2003/07/09 10.23
		separat\$4)	EPO; JPO;	
			DERWENT;	
		,	IBM_TDB	
- 1	18	709/\$.ccls. AND (stor\$3 NEAR2 (column\$1 field\$1) NEAR2	USPAT;	2003/07/09 10:34
l .		separat\$4)	EPO; JPO;	
, , , , , , , , , , , , , , , , , , ,	,	<b>,</b> , ,	DERWENT;	
			IBM TDB	
	601	column NEAR2 file	USPAT;	2003/07/09 10:34
-	601	COMMINITIVEARZ IIIE		2003/01/08 10.34
			EPO; JPO;	
, .			DERWENT;	
			IBM_TDB	
-	39	column NEAR2 file NEAR2 stor\$3	USPAT;	2003/07/09 10:44
			EPO; JPO;	
			DERWENT;	
		•	IBM TDB	
	10	//inverted NEAD2 tableed) NEAD4 fileed)	USPAT;	2003/07/09 10:44
_	10	((invert\$3 NEAR3 table\$1) NEAR4 file\$1)		2003/07/09 10.44
	[		EPO; JPO;	
		· ·	DERWENT;	
			IBM_TDB	
· ·	1	(invert\$3 NEAR4 table\$1) SAME (separat\$3 NEAR2 file\$1)	USPAT;	2003/07/09 10:46
ľ			EPO; JPO;	
			DERWENT;	
	·	•	IBM_TDB	
	2	5852819.pn.	USPAT;	2003/07/09 14:46
_		1 30320 19.pm.	EPO; JPO;	2000/01/03 14.40
		,		
			DERWENT;	
			IBM_TDB	•
-	6	("5343554"   "5497334"   "5596494"   "5600844"   "5680557"	USPAT	2003/07/09 14:31
		"5689431").PN.		
_	20	5852819.URPN.	USPAT	2003/07/09 14:32
_	2266	(row\$1 record\$1 tuple\$1) SAME (field\$1 column\$1	USPAT;	2003/07/09 14:47
		attribute\$1) SAME (table\$1) SAME file\$1	EPO; JPO;	=300,0,,00   1.47
1		attribute() Only (table() Only   Ille()		
			DERWENT;	
			IBM_TDB	
-	1228	(row\$1 record\$1 tuple\$1) SAME (field\$1 column\$1	USPAT;	2003/07/09 14:48
1		attribute\$1) SAME (table\$1) WITH file\$1	EPO; JPO;	
1			DERWENT.	
]			IBM TDB	
1_	35	((row\$1 record\$1 tuple\$1) SAME (field\$1 column\$1	USPAT;	2003/07/09 14:48
-	33		1	2000/01/09 14.40
		attribute\$1) SAME (table\$1) SAME file\$1) AND olap	EPO; JPO;	1
			DERWENT;	
			IBM_TDB	
-	335	olap	USPAT;	2003/07/10 15:22
	1	·	EPO; JPO;	
	İ		DERWENT;	
]	]		IBM_TDB	
	20	olan AND (distributed NEAD) processinged)		2002/07/40 45:05
-	20	olap AND (distribut\$4 NEAR2 processing\$1)	USPAT;	2003/07/10 15:25
			EPO; JPO;	
1	1		DERWENT;	
	<u></u>	· ·	IBM_TDB	

-	5	(olap AND (distribut\$4 NEAR2 processing\$1)) AND	USPAT;	2003/07/10 15:23
		partition\$4 AND merg\$4	EPO; JPO;	
		,	DERWENT;	
		·	IBM_TDB	
	48	olon AND (distributed NEAD2:/processed.con/ore1)	USPAT;	2003/07/10 15:34
-	40	olap AND (distribut\$4 NEAR2 (process\$4 server\$1))		2003/07/10 15.54
			EPO; JPO;	
ļ			DERWENT;	
l			IBM_TDB	
-	34	707/10.ccls. AND olap	USPAT;	2003/07/10 15:39
1		'	EPO; JPO	
1			DERWENT:	
			IBM TDB	
	3	olap AND (distribut\$4 NEAR8 merg\$4)		2002/07/40 45:44
-	٦	orap AND (distributa4 NEARo merga4)	USPAT;	2003/07/10 15:44
· ·			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	l o	20020040639.pn. AND cds	USPAT;	2003/07/10 15:44
1		,	EPO; JPO;	
			DERWENT:	
1	1	,		
1		20020040620 == AND ada	IBM_TDB	0000/07/40 45:45
-	1	20020040639.pn. AND cds	USPAT;	2003/07/10 15:45
1			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		•	IBM_TDB	•
1_	3329	set NEAR2 server\$1	USPAT;	2003/07/10 15:45
ì	5525	000 1127 112 00.11014	EPO; JPO;	2000/07/10 10.40
ļ			DERWENT;	
			IBM_TDB	
-	249	(set NEAR2 server\$1) AND 707/10.ccls.	USPAT;	2003/07/10 15:46
			EPO; JPO;	
ì			DERWENT;	
			IBM_TDB	
	53	((set NEAR2 server\$1) AND 707/10.ccls.) AND merg\$4	USPAT;	2003/07/10 17:11
	33	((Set NEAR2 Servery ) AND POTT 10.003.) AND THEIGHT	EPO; JPO;	2003/07/10 17.11
•				
			DERWENT;	
ļ			IBM_TDB	
-	2009	application\$1 NEAR1 controller\$1	USPAT;	2003/07/10 17:11
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
1 -	777	application ADJ1 controller\$1	USPAT;	2003/07/10 17:11
	'''	application / too i controllery i	EPO; JPO;	2000/07/10 17.11
	1			
			DERWENT;	
			IBM_TDB	
<b>-</b>	0	(application ADJ1 controller\$1) AND olap	USPAT;	2003/07/10 17:11
1			EPO; JPO;	'
1	1		DERWENT:	
	1		IBM_TDB	
l _	3	(application ADJ1 controller\$1) AND 707/10.ccls.	USPAT;	2003/07/10 17:12
				2003/07/10 17.12
ļ	1		EPO; JPO;	
			DERWENT;	,
1	1		IBM_TDB	
-	11·	(application ADJ1 controller\$1) AND 707/\$.ccls.	USPAT;	2003/07/10 17:13
1	1		EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	
l _	512	application ADJ1 controller\$1	USPAT	2002/07/40 47:42
-				2003/07/10 17:13
-	67	(application ADJ1 controller\$1) AND database\$1	USPAT	2003/07/10 17:13
-	1472	(database storage) NEAR2 (centraliz\$5)	USPAT;	2003/07/11 15:07
			EPO; JPO;	
1	İ	*	DERWENT;	
			IBM_TDB	

-	5	(((database storage) NEAR2 (centraliz\$5)) AND (distribut\$4	USPAT;	2003/07/11 14:56
		WITH data WITH server\$1)) AND (server\$1 WITH merg\$3)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	41	(((database storage) NEAR2 (centraliz\$5)) AND (distribut\$4	USPAT;	2003/07/11 15:02
		WITH data WITH server\$1)) AND (load\$3 WITH data WITH	EPO; JPO;	
		server\$1)	DERWENT;	
	_		IBM_TDB	
<b>-</b>	8	(((database storage) NEAR2 (centraliz\$5)) AND (distribut\$4	USPAT;	2003/07/11 15:04
	į	WITH data WITH server\$1)) AND (olap mining\$1)	EPO; JPO;	, and the second
			DERWENT;	
	100	// / / / / / / / / / / / / / / / / / /	IBM_TDB	
-	130	((database storage) NEAR2 (centraliz\$5)) AND (distribut\$4	USPAT;	2003/07/11 15:04
		WITH data WITH server\$1)	EPO; JPO;	
			DERWENT;	
	358	· · · · · · · · · · · · · · · · · · ·	IBM_TDB	2002/07/44 45/50
<del>*</del>	356	((database storage repository) NEAR2 (centraliz\$5)).ti,ab.	USPAT;	2003/07/11 15:58
			EPO; JPO; DERWENT;	
			· ·	
	10	(((database storage repository) NEAR2 (centraliz\$5)).ti,ab.)	IBM_TDB   USPAT;	2003/07/11 15:07
-	10	AND (parallel NEAR2 (process\$3 server\$1))	EPO; JPO;	2003/07/11 15:07
		AND (parallel NEAR2 (process\$5 server\$1))	DERWENT;	
			IBM TDB	,
	152	((database storage repository) NEAR2 (centraliz\$5)) AND	USPAT;	2003/07/11 15:11
-	132	(database storage repository) NEAR2 (certifalizas)) AND	EPO; JPO;	2003/07/11 13.11
		(parallel NEANZ (processus serverur))	DERWENT;	
	İ		IBM_TDB	
_	2	5974411.pn.	USPAT;	2003/07/11 15:18
	_	,	EPO; JPO;	2000/01/11 10:10
			DERWENT;	
			IBM_TDB	
_	1	5974411.pn. AND encod\$3	USPAT;	2003/07/11 15:20
			EPO; JPO;	
			DERWENT;	•
			IBM_TDB	
-	492	parallel NEAR2 server\$1	USPAT;	2003/07/11 15:58
			EPO; JPO;	
			DERWENT;	
	*		IBM_TDB	·
-	105	(parallel NEAR2 server\$1) AND 707/\$.ccls.	USPAT;	2003/07/11 15:27
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	31	(parallel NEAR2 server\$1) AND (olap (data ADJ1 min\$4)	USPAT;	2003/07/11 15:31
		(data NEAR2 analysis))	EPO; JPO;	
			DERWENT;	
		CLADEGO	IBM_TDB	000000744 45 64
· ·	0	CLAREOS.as.	USPAT;	2003/07/11 15:31
	1		EPO; JPO;	
			DERWENT;	
		//dotabase storage repository) NEADQ (seed-slines)) AND	IBM_TDB	2002/07/44 45:50
-	3	((database storage repository) NEAR2 (centraliz\$5)) AND	USPAT;	2003/07/11 15:58
	1	(parallel NEAR2 servers)	EPO; JPO;	
			DERWENT;	
	147	narallal NEAD2 canvers	IBM_TDB	2003/07/11 15:50
-	14/	parallel NEAR2 servers	USPAT;	2003/07/11 15:59
.			EPO; JPO;	
	]		DERWENT; IBM_TDB	
<u>-</u>	5	("5546570"   "5850547"   "6081801"   "6275818"	USPAT	2003/07/11 16:01
	1	"6289334").PN.	301 \( \)	2003/01/11 10:01
_	6	0269334 ).FN.   ("5581753"   "5586310"   "5664170"   "5963945"   "6009427"	USPAT	2003/07/11 16:10
		"6330560").PN.		

	1	(denormaliz\$6 (de ADJ1 normaliz\$6)) AND 5852819.pn.	USPAT;	2003/07/15 12:34
	• :	(denomializado (de ADO) hormalizado)) AND 30320 19.pm.	EPO; JPO;	2000/07/10 12:04
			DERWENT;	
	!		1	
	704	1 ( I	IBM_TDB	0000/07/45 40 00
-	761	(denormaliz\$6 (de ADJ1 normaliz\$6))	USPAT;	2003/07/15 13:38
			EPO; JPO;	
			DERWENT;	
		· ·	IBM_TDB	
-	76	((denormaliz\$6 (de ADJ1 normaliz\$6))) AND 707/\$.ccls.	USPAT;	2003/07/15 12:34
			EPO; JPO;	·
			DERWENT;	
			IBM_TDB	1
-	147	((denormaliz\$6 (de ADJ1 normaliz\$6))) AND (parallel NEAR2	USPAT;	2003/07/15 13:39
		(process\$3 server\$1))	EPO; JPO;	2000/0//10 10:00
		(processor servery)	DERWENT;	
	•	///denormali=06 (de AD I4 normali=06\\\ AND (normali=	IBM_TDB	2002/07/45 42:40
-	-3	(((denormaliz\$6 (de ADJ1 normaliz\$6))) AND (parallel	USPAT;	2003/07/15 13:40
		NEAR2 (process\$3 server\$1))) AND (determin\$6 NEAR4	EPO; JPO;	
		number\$1 NEAR4 server\$1)	DERWENT;	1
	•		IBM_TDB	
-	33	(determin\$6 NEAR4 number\$1 NEAR4 server\$1) AND	USPAT;	2003/07/15 13:55
		(parallel NEAR2 (process\$3 server\$1))	EPO; JPO;	
		. " '	DERWENT;	,
			IBM_TDB	
_	2111	determin\$6 NEAR2 partition\$5	USPAT;	2003/07/15 13:56
		accommittee that the partitioning	EPO; JPO;	2555,577,15 15.55
		·	DERWENT;	
		,	IBM_TDB	
	0	(determin\$6 NEAR2 partition\$5) SAME (parallel NEAR2	USPAT;	2003/07/15 13:57
-	U			2003/07/13 13.37
•		server\$1)	EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
	1	(determin\$6 NEAR2 partition\$5) SAME (parallel NEAR4	USPAT;	2003/07/15 14:01
		server\$1)	EPO; JPO;	
		,	DERWENT;	
			IBM_TDB	
-	103	((determin\$5 analy\$4) NEAR4 (partition\$4 NEAR2 value\$1))	USPAT;	2003/07/15 14:02
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
<u> </u>	2	((((determin\$5 analy\$4) NEAR4 (partition\$4 NEAR2	USPAT;	2003/07/15 14:02
l		value\$1))) AND parallel) AND (olap mining mine)	EPO; JPO;	2300/01/10 14.02
		Value   1/// Alab   Parallel/ Alab (Glap Hilling Hille)	DERWENT;	
		i,		
	4.0	///d-t	IBM_TDB	0000/07/45 44:00
-	40	(((determin\$5 analy\$4) NEAR4 (partition\$4 NEAR2	USPAT;	2003/07/15 14:06
		value\$1))) AND parallel	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	122	((determin\$4 identif\$4) NEAR4 (partition\$4 NEAR2 value\$1))	USPAT;	2003/07/15 14:58
l		,	EPO; JPO;	
.			DERWENT;	
.			IBM_TDB	
_	24	(partition\$4) SAME (categorical)	USPAT;	2003/07/15 14:58
		/ / / / / / / / / / / / / / / / / / /	EPO; JPO;	2555,57,10 14.00
			DERWENT:	
	L		IBM_TDB	L